RHE40S3



Classified Document 2024.12.12











Product Feature

RHE series residential energy storage integrated system combines functions such as PCS, battery, BMS, MPPT and EMS into one unit. Optional PV panels and solar tracking system, ensuring intelligent management and operation, providing user site with the most efficient clean energy solution.



Integration

The integrated energy storage system facilitates a more convenient management and operation mode, enabling rapid installation and deployment.

Intelligent

The built-in EMS (Energy Management System) enables intelligent scheduling and management of household energy, supporting local one-touch control via HMI.

Remote

Access anytime, anywhere with the APP for remote energy monitoring, ensuring safety and efficiency, and supporting the one-click export of financial reports.









RHE40S3





System Output Parameters	RHE40S3		
Rated power (kVA/kW)	40/40		
Frequency (Hz)	50		
Phase (P)	3		
Power factor (PF)	1		
Voltage (AC.V)	380	400	415
Current (AC.A)	61	58	56
Battery Parameters			
Battery type	LiFePO4		
Battery capacity (kWh)	62.21		
Rated voltage (DC.V)	460.8		
Charing/discharging rate	0.5C		
Cooling method	Air-cooled		
NOTE: Battery capacity can be expanded according to the	need, please contact sa	les staff or local agen	t for details.
PV Input Parameters			
MPPT rated power (kWp)	52		
Input voltage (DC.V)	360-850		
Unit Parameters			
Protection class	IP54		
Noise level (dBA@7m)	50		
Dimensions (mm)	2100x1100x1700		
Dry weight (kg)	1535		
40' Loading (qty)	10		
Optional Configuration			
PV panels, solar tracking system (4.8kWp/7.2kWp)			Classified

